

CONTENTS OF 88B

Vol. 88B, No. 1.

Mini-Reviews

S. Chapelle

- 1 Plasmalogens and *O*-alkylglycerophospholipids in aquatic animals

Mark Carroll and Peter McCrorie

- 7 Glycoproteins of trypanosomes: their biosynthesis and biological significance

General Papers

P. S. Rutledge, D. P. Easton and J. R. Spotila

- 13 Heat shock proteins from the lungless salamanders *Eurycea bislineata* and *Desmognathus ochrophaeus*

Kristin Hamre and Guido van den Thillart

- 19 Mitochondrial Acyl-CoA dehydrogenase activity of fish red muscle and pig liver

Janet E. Murgatroyd and Colin Green

- 23 Cholesterol transfer from rat, human and sheep erythrocytes

Shigeru Kimura, Yoshihiro Ohno, Yoshirou Miyauchi and Naoyuki Uchida

- 27 Fish skin Type I collagen: wide distribution of an $\alpha 3$ subunit in teleosts

Kermit Ratzlaff and Annette Baich

- 35 Comparison of ornithine aminotransferase activities in the pigment epithelium and retina of vertebrates

Gerald A. LeBlanc and Bruce J. Cochran

- 39 Identification of multiple glutathione *S*-transferases from *Daphnia magna*

Douglas M. Burn and Daniel K. Odell

- 47 Volatile fatty acid concentrations in the digestive tract of the West Indian manatee, *Trichechus manatus*

M. M. Khan, Y. Y. Chua and Y. K. Ip

- 51 Effects of glucose transport on the incorporation of ^{32}P -inorganic phosphate into phospholipids in *Hymenolepis diminuta* (Cestoda)

Mahmoud Fadl Ali, Athula B. Attygalle, E. David Morgan and Johan P. J. Billen

- 59 The Dufour gland substances of the workers of *Formica fusca* and *Formica lemni* (Hymenoptera: Formicidae)

A. Jabbar and R. H. C. Strang

- 65 Anaerobic amino acid metabolism in the locust nervous system

André Toulmond, Claude Jouin and Jacques de Frescheville

- 71 Hemocyanin of the protobranch bivalve mollusc *Nucula hanleyi* Winckworth

M. Covens, L. Covens, F. Ollevier and A. De Loof

- 75 A comparative study of some properties of vitellogenin (Vg) and yolk proteins in a number of freshwater and marine teleost fishes

Tapan K. Majumdar, Edward J. Parish and Leon W. Bone

- 81 Steroid analogs inhibit hormone binding by an extract from *Nippostrongylus brasiliensis* (Nematoda)

Takeshi Kono, Silvia Scippa, Giovanni Iazzetti and Mario de Vincentiis

- 85 Ionic dependence and vanadate sensitivity of $(\text{Na}^+, \text{K}^+)\text{-ATPase}$ isolated from branchial sac of ascidians

Tetsuo Ogawa, Yoko Aikawa and Toyoo Aikawa

- 91 Kinetic characteristics and binding process of substrate analogs to the adenosine deaminase in the marine mussel, *Mytilus edulis*

- M. T. Xavier, J. O. Previato,
P. A. J. Gorin and L. Mendonça-Previato
- O. Roche-Mayzaud and P. Mayzaud
- Satoshi Unakami, Tsugikazu Komoda,
Mitsutoshi Watanabe,
Yoshifumi Tanimoto,
Yoshikatsu Sakagishi and
Hiroh Ikezawa
- H. Siau and Y. K. Ip
- Theodore T. Herskovits and
Mary G. Hamilton
- M. Lambropoulou, A. Zacharopoulou,
C. Psachoulia and V. J. Marmaras
- David R. Orvos, Cletus M. Sellers Jr and
Norman E. Garrison
- Hiroshi Sasaki, Koji Akasaka,
Hiraku Shimada and Tsugio Shiroya
- Sybil K. Miller
- Olav Saether and Viggo Mohr
- Olav Saether, Trond E. Ellingsen and
Viggo Mohr
- Mohammed Y. H. Farooqui,
Wesley W. Day and Daniel M. Zamorano
- C. Gielens, J. De Sadeleer,
G. Préaux and R. Lontie
- Eric Coiffier, Roger Paris and
Jean Lecerf
- R. J. Aiello and L. E. Armentano
- Zulema Luisa Coppes,
Maria Luiza B. Schwantes and
Arno R. Schwantes
- Zulema Luisa Coppes,
Maria Luiza B. Schwantes and
Arno R. Schwantes
- Fulvia Basaglia and Carlo Callegarini
- Peter N. Lowe and Alison F. Rowe
- Nelson Carvajal, Eduardo Kessi and
Lincoyán Ainol
- 101 Chemical structures of a galactose-rich glycoprotein of *Leishmania tarentolae*
- 105 Purification of endo- and exolaminarinase and partial characterization of the exoacting form from the copepod *Acartia clausi* (Giesbrecht, 1889)
- 111 Molecular nature of three liver alkaline phosphatases detected by drug administration *in vivo*: differences between soluble and membranous enzymes
- 119 Activities of enzymes associated with phosphoenolpyruvate metabolism in the mudskippers, *Boleophthalmus boddarti* and *Periophthalmodon schlosseri*
- 127 Hemocyanin of the chiton, *Stenoplax conspicua* (Dall)
- 133 The haemocytes and the activities of leucine aminopeptidase and alkaline phosphatase during development of *Ceratitis capitata*: specific secretion of a leucine aminopeptidase isozyme
- 141 Optimal isolation conditions for rainbow trout (*Salmo gairdneri*) hepatic ribosomes
- 147 Purification and characterization of arylsulfatase from sea urchin (*Hemicentrotus pulcherrimus*) embryos
- 153 The effects of ammonium sulfate and acid on horse and human serum butyrylcholinesterase (EC 3.1.1.8)
- 157 Chemical composition of North Atlantic krill
- 165 Proteolysis *post mortem* in North Atlantic krill
- 177 Gluthathione and lipid peroxidation in the aging rat
- 181 Identification, separation and characterization of the haemocyanin components of *Helix aspersa*
- 187 Effects of dietary saturated and polyunsaturated fat on lipoprotein lipase and hepatic triglyceride lipase activity
- 193 Gluconeogenesis in goat hepatocytes is affected by calcium, ammonia and other key metabolites but not primarily through cytosolic redox state
- 203 Adaptative features of enzymes from family Sciaenidae (Perciformes)—I. Studies on soluble malate dehydrogenase (s-MDH) and creatine kinase(CK) of fishes from the south coast of Uruguay
- 211 Adaptative features of enzymes from family sciaenidae—II. Studies on phosphoglucose isomerase (PGI) of fishes from the south coast of Uruguay
- 219 Soluble eye lens proteins of Italian ictalurids
- 223 Probing the active sites of aspartate: 2-oxoglutarate aminotransferases from *Trichomonas vaginalis* and pig heart cytoplasm using substrate analogues
- 229 Subcellular localization and kinetic properties of arginase from the liver of *Genypterus maculatus*

John C. Lee, Thomas J. Kuehl and G. David Roodman	233	Developmental changes in membrane proteins from baboon erythrocytes
Antonio Pellegrini, Gabrielle Hägeli and Roland von Fellenberg	237	Acid-stable protease inhibiting polypeptides formed from denatured horse plasma by proteolysis
A. M. Bhoutayn and A. S. M. Saleuddin	243	Properties of HCO ₃ -stimulated ATPase in the kidney of a freshwater snail <i>Helisoma duryi</i> (Pulmonata: Mollusca)
Willem G. Zijlstra and Anneke Buursma	251	Spectrophotometry of hemoglobin: a comparison of dog and man
R. J. Morris, A. P. M. Lockwood, D. Dyball and S. R. L. Bolt	257	Changes in the fatty acid composition of the gill phospholipids in <i>Gammarus duebeni</i> during moult: evidence for reduced permeability of the gill membrane
Darcey Black and E. Roy Skinner	261	Changes in plasma lipoproteins and tissue lipoprotein lipase and salt-resistant lipase activities during spawning in the rainbow trout (<i>Salmo gairdnerii</i> R.)
Silas S. O. Hung, Paul B. Lutes and Fred S. Conte	269	Carcass proximate composition of juvenile white sturgeon (<i>Acipenser transmontanus</i>)
Thomas P. Martin	273	Predictable adaptations by skeletal muscle mitochondria to different exercise training workloads
Alnawaz Rehemtulla, Jennifer Gates and David A. Hart	277	Treatment of mouse L-cells with phorbol myristate acetate induces the secretion of a plasminogen activator inhibitor which binds to human and mouse urokinase and human tissue plasminogen activator
G. Wolf, F. Hens, L. Moens and W. Declair	285	Comparative study of hemoglobins from different <i>Artemia</i> populations. The influence of temperature on the oxygen equilibria
Danuta M. Rzymkiewicz	289	Thermodependence of the tyrosine transaminating activity in mitochondria of <i>Drosophila melanogaster</i>
Danato Sica, Vincenzo Piccialli and Roberto Pronzato	293	$\Delta^{5,7}$ Sterols from the sponges <i>Ircinia pipetta</i> and <i>Dysidea avara</i> identification of cholesta-5,7,24-trien-3B-ol
Constance R. DiAngelo and Alan G. Heath	297	Comparison of <i>in vivo</i> energy metabolism in the brain of rainbow trout, <i>Salmo gairdneri</i> and bullhead catfish, <i>Ictalurus nebulosus</i> during anoxia
J. Wightman, J. Roberts, G. Chaffey and N. S. Agar	305	Erythrocyte biochemistry of the grey-headed fruit bat (<i>Pteropus poliocephalus</i>)
Stephen A. Watts, Kara J. Lee, Gene A. Hines and Charles W. Walker	309	Determination of polyamines in digestive and reproductive tissues of adult <i>Asterias vulgaris</i> (Echinodermata: Asteroidea)
Ikuko Ishii, Hitoo Iwase, Hideaki Hamazaki and Kyoko Hotta	313	Comparative study of specific α -1,2-glucosidase activity toward glucosyl galactosyl hydroxylysine in various animal species
N. C. Sangster and D. F. Mettrick	317	Effects of 5-hydroxytryptamine, cyclic AMP, AMP, and fructose 2,6-bisphosphate on phosphofructokinase activity in <i>Hymenolepis diminuta</i>
Heinz J. M. Hansen	323	Comparative studies on lipid metabolism in various salt transporting organs of the European eel (<i>Anguilla anguilla</i>). Mono-unsaturated phosphatidylethanolamine as a key substance
Warren Judd	333	Crystalline style proteins from bivalve molluscs
Robert Noiva, Matthew J. Pete and Donald R. Babin	341	Bovine serum hemopexin: properties of the protein from a single animal

- George Raymond Parker and Ying Ming Lin 349 Isolation from lugworm (*Arenicola cristata*) of four proteases that activate cyclic AMP phosphodiesterase
- Clifford J. Bailey and Peter R. Flatt 359 Glucoregulatory effects of bombesin in lean and genetically obese hyperglycaemic (ob/ob) mice
- Munehiko Yamamoto, Iwahiko Yamamoto, Yukio Tanaka and Michihiro Sugano 363 Purification of horse (*Equus caballus*) serum lecithin: cholesterol acyltransferase
- Marilyn C. Erickson and Daniel P. Selivonchick 369 A comparison of aspartate transcarbamylase activity in juvenile Pacific oysters (*Crassostrea gigas*) when fed various diets
- Kaoru Harada-Azumi, Hideyoshi Yokosawa and Shin-Ichi Ishii 375 *N*-acetyl-galactosamine-specific lectin, a novel lectin in the haemolymph of the ascidian *Halocynthia roretzi*: isolation, characterization and comparison with galactose-specific lectin

Vol. 88B, No. 2.

Review

- Alan M. Snoswell and Gang-Ping Xue 383 Methyl group metabolism in sheep

General Papers

- P. Mondola, F. Santangelo, M. Santillo, A. Belfiore, L. Avallone, S. Cifaldi, A. d'Angelo and G. P. Pizzuti 395 The serum lipoprotein pattern of water buffalo (*Bubalus bubalis*)
- Kazuo Kimura, Takeshi Tanaka, Hiroki Nakae and Takashi Obinata 399 Troponin from nematode: purification and characterization of troponin from *Ascaris* body wall muscle
- Shigeru Kimura and Yoshihiro Ohno 409 Fish Type I collagen: tissue-specific existence of two molecular forms, $(\alpha 1)_2\alpha 2$ and $\alpha 1\alpha 2\alpha 3$, in Alaska pollack
- David S. Adams and Rene J. Herrera 415 Comparison of U-small nuclear RNA levels in tissues of the silkworm, *Bombyx mori*
- B. Lucas-Heron, M. J. Loirat and B. Ollivier 421 Comparative biochemical study of sarcolemma and sarcoplasmic reticulum fractions isolated from mouse skeletal and cardiac muscles
- Yumiko Tani, Iwao Ohkubo, Sigeki Higashiyama, Mitoshi Kunimatsu and Makoto Sasaki 429 Porcine high molecular weight kininogen: its purification and properties as a thiol proteinase inhibitor as compared to human high molecular weight kininogen
- Tadashi Ishimoda-Takagi and Mitsuaki Kobayashi 443 Molecular heterogeneity and tissue specificity of tropomyosin obtained from various bivalves
- R. J. M. Timmers and J. G. D. Lambert 453 Measurement of aromatase activity in the brain of the African catfish, *Clarias gariepinus*—a comparison of two assay methods
- E. K. Tillinghast, R. J. Huxtable, W. H. Watson III and M. A. Townley 457 Evidence for the presence of GABamide on the web of orb weaving spiders
- C. Domènech, X. Bozal, A. Mazo, A. Cortés and J. Bozal 461 Factors affecting malate dehydrogenase activity in freezing-thawing processes
- Satoko Fujiwara, Kazuhisa Nakashima and Tomoo Noguchi 467 Insoluble uricase in liver peroxisomes of Old World monkeys
- Dean M. Hartley 471 Glucose-6-phosphate dehydrogenase activity in the freshwater bivalve, *Corbicula manilensis*

- A. Corti, S. Astancolle, P. Davalli,
F. Bacciottini, A. Casti and R. Viviani
- W. Mäueler, E. Eigenbrodt,
M. Scharl and F. Anders
- Tetsuo Ogawa, Yoko Aikawa and
Toyoo Aikawa
- Kiyoshi Ohkawa, Yutaka Tsukada,
Wataru Nunomura, Manabu Ando,
Ikuo Kimura, Akihiko Hara,
Nozomu Hibi and Hidematsu Hirai
- James E. Dendinger
- Hiroki Abe and Sachiko Ohmama
- María Jesús Tuñón,
Paquita González and M. Vallejo
- Hervé Barré, Laurent Bailly and
Jean Louis Rouanet
- M. C. van Heusden, D. J. van der Horst,
J. M. van Doorn and
A. M. Th. Beenackers
- D. S. Irwin and T. P. Anastassiades
- S. A. Brown and T. P. Anastassiades
- C. A. Stephens, P. Craigie and
T. P. Anastassiades
- R. A. M. Devery, N. O'Meara,
P. B. Collins, A. H. Johnson,
L. Scott and G. H. Tomkin
- Daniel Fau, James G. Morris and
Quinton R. Rogers
- Reiji Yoshinaka, Mamoru Sato,
Michiaki Yamashita, Masao Itoko and
Shizunori Ikeda
- Valma M. Barbosa and Momoyo Nakano
- Atsuko Takeuchi, Toshio Okano,
Mayumi Torii, Yumi Hatanaka and
Tadashi Kobayashi
- Paul J. Declerck and Miklós Müller
- Catherine Allende and María Plaza
- 475 Polyamine distribution and activity of their biosynthetic enzymes in the European sea bass (*Dicentrarchus labrax* L.) compared to the rat
- 481 Intermediary metabolism of normal and tumorous tissue of *Xiphophorus* (Teleostei: Poeciliidae)
- 491 Affinity difference of adenosine deaminases for the purine riboside-epoxyactivated Sepharose 6B column
- 497 Main serum protein of rainbow trout (*Salmo gairdnerii*): its biological properties and significance
- 503 Digestive proteases in the midgut gland of the Atlantic blue crab, *Callinectes sapidus*
- 507 Effect of starvation and sea-water acclimation on the concentration of free L-histidine and related dipeptides in the muscle of eel, rainbow trout and Japanese dace
- 513 Blood biochemical polymorphism in Spanish goat breeds
- 519 Increased oxidative capacity in skeletal muscles from cold-acclimated ducklings: a comparison with rats
- 523 Partial purification of locust flight muscle lipoprotein lipase (LpL): apparent differences from mammalian LpL
- 529 "Matrigenin" activity from bovine bone—I. Partial purification of activity
- 535 "Matrigenin" activity from bovine bone—II. Effects on the glycosaminoglycans of bovine articular cartilage in culture
- 541 "Matrigenin" activity from bovine bone—III. Effects on glycosaminoglycans and proteoglycans of human synovial cells in culture
- 547 A comparative study of the rate-limiting enzymes of cholesterol synthesis, esterification and catabolism in the alloxan-induced diabetic rat and rabbit
- 551 Effects of high dietary methionine on activities of selected enzymes in the liver of kittens (*Felis domesticus*)
- 557 Specificity of the collagenolytic serine proteinase from the pancreas of the catfish (*Parasilurus asotus*)
- 563 Muscle D-glyceraldehyde-3-phosphate dehydrogenase from *Anas* sp.—1. Purification and properties of the enzyme
- 569 Comparative studies on the contents of vitamin D₃, 25-hydroxy vitamin D₃ and 7-dehydrocholesterol in fish liver
- 575 Hydrogenosomal ATP:AMP phosphotransferase of *Trichomonas vaginalis*
- 581 Characterization of cyclic nucleotide phosphodiesterases in *Xenopus laevis* ovary

- Noriyuki Nagahara, Takeshi Nishino,
Masayoshi Kanisawa and Keizo Tsushima 589 Effect of dietary protein on purine nucleoside phosphorylase and xanthine dehydrogenase activities of liver and kidney in chicken and pigeon
- Mary Ann Fritz and Ann Marie Fallon 595 Properties of a ribonuclease from *Aedes aegypti* larvae
- Michael V. Miceli,
Thomas O. Henderson and
Terrell C. Myers 603 Alkylphosphonic acid distribution in the planorbid snail *Helisoma* sp.
- María Jesús López-Zabalza,
María Sagrario Laborda-Santesteban,
María Belén Garrido-Garrido,
Natalia López-Moratalla and
Esteban Santiago 613 Regulatory sites of cationic nature on skeletal myosin
- Alessandra Verdina,
Giovanna De Angelis, Enzo Funari,
Emanuela Testai and Luciano Vittozzi 619 Xenobiotic-metabolizing enzyme systems in test fish—II. The ethylmorphine *N*-demethylase activity of guppy (*Poecilia reticulata*) liver
- Dario Ocampos,
Claudete Deguirmendjian Rosa,
Edson Rodrigues and Rubens Rosa 625 Kinetic properties of pyruvate kinase from the epaxial muscle of the marine fishes *Mugil lisa* and *Chaetoditerus faber*
- Boel S. Lanne, Gunnar Bergström,
Ann-Britt Wassgren and Berit Törnback 631 Biogenetic pattern of straight chain marking compounds in male bumble bees
- Norimasa Matsuoka and
Hirobumi Suzuki 637 Electrophoretic study on the taxonomic relationship of the two morphologically very similar sea-urchins, *Echinostrephus aciculatus* and *E. molaris*
- Yumiko Komori, Toshiaki Nikai,
Yoko Yamauchi and Hisayoshi Sugihara 643 A comparative study of clotting factors from the venom of *Agkistrodon acutus* collected in China and Taiwan
- Masataka Yoshino, Keiko Murakami,
Yoshinao Katsumata,
Akira Takabayashi and Shigeo Mori 651 Stimulation of anaerobic metabolism in rats at high altitude hypoxia—adrenergic effects dependent on dietary states
- Marie-Hélène Hannotiaux,
Andrée Scharfman, Jean-Jacques Lafitte,
Line Cornu, Henriette Daniel and
Philippe Roussel 655 Comparison of hydrolases, peroxidase and protease inhibitors in bronchoalveolar fluid from *Macacus cynomolgus* and human controls
- Dietmar Zinkler and Michael Götze 661 Cellulose digestion by the firebrat *Thermobia domestica*
- Lee-Shing Fang 667 Study on the heme catabolism of fish
- Ephraim Cohen 675 Purification of glutathione-*S*-transferase from the flour beetle *Tribolium castaneum*
- E. Dubis, E. Maliński, E. Hebanowska,
E. Synak, K. Pihlaja, J. Nawrot and
J. Szafranek 681 The composition of cuticular hydrocarbons of the bean weevil, *Acanthoscelides obtectus* Say
- E. Edward Bittar and Peggy R. Girard 687 Evidence for the presence of protein kinase C in barnacle muscle fibers
- Vittoria Ventrella, Alessandra Pagliarani,
Gianni Trigari, Fabiana Trombetti and
Anna Rosa Borgatti 691 Na⁺-like effect of monovalent cations in the stimulation of sea bass gill Mg²⁺-dependent Na⁺-stimulated ATPase
- Øyvind Lie, Einar Lied and
Georg Lambertsen 697 Lipid digestion in cod (*Gadus morhua*)

Review**Dag Christian Christiansen and
Leiv Klungsøyr**

- 701 Metabolic utilization of nutrients and the effects of insulin in fish

Mini-Reviews**Bernard Droz and Jerzy Kazimierczák**

- 713 Carbonic anhydrase in primary sensory neurons of dorsal root ganglia

**X. Remesar, D. López-Tejero and
M. Pastor-Anglada**

- 719 Some aspects of amino acid metabolism in the rat fetus

General Papers**Takeshi Kumazawa and Osamu Suzuki**

- 727 Occurrence of polyamine oxidase in tissues of the catfish

**Susanne Bennett Clark,
Anna M. Tercyak and
Kenneth E. Glander**

- 729 Plasma lipoproteins of free-ranging howling monkeys (
- Alouatta palliata*
-)

**Kyu-il Kim, Terrence B. Kayes
and Clyde H. Amundson**

- 737 Effects of dietary tryptophan levels on growth, feed/gain, carcass composition and liver glutamate dehydrogenase activity in rainbow trout (
- Salmo gairdneri*
-)

**Mark B. Dworkin, Neil Segil and
Eva Dworkin-Rastl**

- 743 Pyruvate kinase isozymes in oocytes and embryos from the frog
- Xenopus laevis*

T. Henry and A. Ferguson

- 751 Phosphoglucose isomerase isozymes and allozymes of the brown trout,
- Salmo trutta*
- L.

**M. Rodrigo, P. Hueso and
J. A. Cabezas**

- 757 Ganglioside composition of liver and kidney from rat after pentazocine treatment

**Haruhiko Fujiwara, Hideaki Maekawa,
Osamu Ninaki, Naoko Takada,
Naoko Miyajima and Hajime Ishikawa**

- 761 Comparative studies on the rDNA of the silkworm,
- Bombyx mori*
- and its presumed ancestor

**Ardithanne G. Boyle, Young S. Park,
Taufiqul Huque and Richard C. Bruch**

- 767 Properties of phospholipase C in isolated olfactory cilia from the channel catfish (
- Ictalurus punctatus*
-)

Hans-Juergen Hirche and Klaus Anger

- 777 The accumulation of age pigments during larval development of the spider crab,
- Hyas araneus*
- (Decapoda, Majidae)

**Ariki Matsuoka, Hisashi Iwaasa,
Kingo Takiguchi, Norio Arakawa,
Lan Li, Takashi Takagi and
Keiji Shikama**

- 783 Stability properties of oxymyoglobin from chicken gizzard smooth muscle

**Rosalía Rodríguez, Luis Menéndez-Arias,
Gonzalo Gonzalez de Buitrago and
José G. Gavilanes**

- 791 Structure of the pigeon lysozyme and its relationship with other type c lysozymes

Norbert Latruffe

- 797 Transport of D-B-hydroxybutyrate across rat liver mitochondrial membranes

**Minoru Sato, Masayoshi Takahara,
Nobuhiro Kanno, Yoshikazu Sato
and W. Ross Ellington**

- 803 Isolation of a new opine,
- β
- alanopine, from the extracts of the muscle of the marine bivalve mollusc,
- Scapharca broughtonii*

**J. P. Proux, M. P. Delaage and
J. Chauveau**

- 807 Immunoaffinity purification of a diuretic hormone from the nervous ventral cord of the migratory locust

**Jassim M. Al-Hassan, Martha Thomson,
Brent Summers and Richard S. Criddle**

- 813 Protein composition of the threat induced epidermal secretion from the Arabian Gulf catfish,
- Arius thalassinus*
- (Ruppell)

Fabienne Guerard and Yves Le Gal	823	Characterization of a chymosin-like pepsin from the dogfish <i>Scyliorhinus canicula</i>
Nina Yancheva, Emilia Ivanova and Lalio Djondjurov	829	Intranuclear distribution of the non-histone proteins: evidence for their compartmentalization
A. M. Bassols, R. Cussó and J. Carreras	843	Glucose 1,6-bisphosphate and fructose 2,6-bisphosphate levels in different types of rat skeletal muscle
Nicholas A. Delamere and Richard N. Williams	847	A comparative study on the uptake of ascorbic acid by the iris-ciliary body of the rabbit, guinea pig and rat
Elisa Revilla, Isabel Fabregat and Alberto Machado	851	NADPH/NADP ratio could regulate the glyoxylate cycle in <i>Tetrahymena pyriformis</i>
J. Weber, M. Klug and P. Tardent	855	Some physical and chemical properties of purified nematocysts of <i>Hydra attenuata</i> Pall. (Hydrozoa, Cnidaria)
R. W. Burley, J. F. Back, J. E. Wellington and G. C. Grigg	863	Proteins of the albumen and vitelline membrane of eggs of the estuarine crocodile, <i>Crocodylus porosus</i>
Premjit P. Halarnkar, John D. Chambers, Edgar J. Wakayama and Gary J. Blomquist	869	Vitamin B ₁₂ levels and propionate metabolism in selected non-insect arthropods and other invertebrates
Ann Marie Anderssohn and Neil F. Hadley	875	Regional variation in cuticular hydrocarbon composition in the common house cricket, <i>Acheta domesticus</i>
Lucyna Polak, Andrzej Jarzębski, Roman Wenne and Leonard Falkowski	881	Seasonal changes in condition and lipids composition of the bivalve <i>Macoma balthica</i> L. from the Gulf of Gdańsk (Southern Baltic)
Bruce D. Whitaker	887	The influence of stigmasterol concentration on the growth and lipid composition of wild-type and barium A strains of <i>Paramecium tetraurelia</i>
A. C. Chen, H. R. Kim, R. T. Mayer and J. O. Norman	897	Vitellogenesis in the stable fly, <i>Stomoxys calcitrans</i>
J. Ågren, P. Muje, O. Hänninen, J. Herranen and I. Penttilä	905	Seasonal variations of lipid fatty acids of boreal freshwater fish species
E. Dubis, E. Maliński, E. Hebanowska, M. Święcka, J. Nawrot, K. Pihlaja, J. Szafranek and Z. Warnke	911	The composition of cuticular hydrocarbons of the Khapra beetles, <i>Trogoderma granarium</i>
Randa Jannun and Elmon Lee Coe	917	Bromoperoxidase from the marine snail, <i>Murex trunculus</i>
Eva A. Crisp, Robert Czolij and Michael Messer	923	Absence of β -galactosidase (lactase) activity from intestinal brush borders of suckling macropods: implications for mechanism of lactose absorption
D. Quincey, D. Le Goff, J. Fresnel and A. Nouvelot	929	Qualitative and quantitative alterations of bovine serum lipoproteins with ageing
R. Grant Seals and Roger A. Lewis	939	Deoxyadenosine deamination and phosphorylation in rat liver mitochondria
Herbert Tintemann, Claus Wasternack, Dirk Helbing, Konrad Glund and Bettina Hause	943	Pyrimidine degradation in tomato cell suspension cultures and in <i>Euglena gracilis</i> —localization of enzymes
Chong Chen, Bruno Rabourdin and C. S. Hammen	949	The effect of hydrogen sulfide on the metabolism of <i>Solemya velum</i> and enzymes of sulfide oxidation in gill tissue
Antonín Stratil, Bo Gahne, R. Kumar Juneja, Stellan Hjertén and Geneviève Spik	953	Pig plasma postalbumin-2 (α_1 B-glycoprotein): isolation, partial characterization and immunological cross-reactivity with other mammalian sera

- | | | |
|--|------|---|
| A. L. Archibald | 963 | Comparison of the serum amylases of farm animals |
| Patricio Meneses, Thomas Glonek and Thomas O. Henderson | 969 | Metabolism of 2-aminoethylphosphonic acid during embryonic development of the schistosomal vector <i>Biomphalaria glabrata</i> |
| Daisy Hamel-Jönsson, Gustavo Hitzschky F. Vieira, Belisário P. Lisboa and Heinz Breuer | 977 | Occurrence of hydroxysteroid oxidoreductases in liver of turtles |
| Jaume Rosell, Isabel V. Baanante and Felipe Fernández | 983 | Glycogen phosphorylase in lobster hepatopancreas: action of proteases on the enzyme |
| Edward J. McMurchie, Glen S. Patten, Peter L. McLennan and John S. Charnock | 989 | A comparison of the properties of the cardiac beta-adrenergic receptor adenylyl cyclase system in the rat and the marmoset monkey |
| D. Giesecke, A. Pospischil, C. Laging and G. Heiss | 999 | Postnatal development of hepatic uricase and peroxisomes in baby pigs |
| Zulema Luisa Coppes, Maria Luiza B. Schwantes and Arno R. Schwantes | 1005 | Adaptative features of enzymes from family sciaenidae—III. Studies on lactate dehydrogenase (LDH) of fishes from the south coast of Uruguay |
| S. Hunt | 1013 | Amino acid compositions of periostracal proteins from molluscs living in the vicinity of deep sea hydrothermal vents: an unusual methionine-rich structural protein |
| H. N. Wren and D. G. Cochran | 1023 | Xanthine dehydrogenase activity in the cockroach endosymbiont <i>Blattabacterium cuenoti</i> (Mercier 1906) Hollande and Favre 1931 and in the cockroach fat body |

Vol. 88B, No. 4.

General Papers

- | | | |
|--|------|---|
| Vassiliki Aleporou-Marinou, Kalliope T. Sekeri-Pataryas and Theocharis A. Pataryas | 1027 | Histone variants in Diptera during metamorphosis |
| A. Lazou, C. Gaitanaki, B. Michaelidis, A. Papadopoulos and Is. Beis | 1033 | Purification, catalytic and regulatory properties of malate dehydrogenase from the foot of <i>Patella caerulea</i> (L.) |
| R. W. Rosebrough and N. C. Steele | 1041 | Measurement of glucose and lipid metabolism in avian liver explants |
| Jacques Besançon, Pierre Chapdelaine, Robert Paquin, Jean Y. Dubé and Roland R. Tremblay | 1051 | Purification of ram seminal plasma acid alpha-glucosidase |
| Kia-Ki Han, André Delacourte and Brigitte Hemon | 1057 | Chemical modification of thiol group(s) in protein: application to the study of anti-microtubular drugs binding |
| Jiro Takito and Kazuhiko Konishi | 1067 | Effects of native thin filaments from sea cucumber on the Mg^{2+} -ATPase activity of myosin |
| J. P. Raffin and M. T. Thebault | 1071 | Purification and partial characterization of an AMP deaminase from the marine invertebrate <i>Palaemon serratus</i> |
| Józef Spychala and Jaroslaw Marszalek | 1077 | The role of GTP in the regulation of two forms of AMP deaminase from chicken kidney |
| M. Messer, P. A. FitzGerald, J. C. Merchant and B. Green | 1083 | Changes in milk carbohydrates during lactation in the eastern quoll, <i>Dasyurus viverrinus</i> (Marsupialia) |

- | | | |
|---|------|--|
| Albert C. Smith | 1087 | Detection of protein variation in human serum by externally released precipitins from the blue crab, <i>Callinectes sapidus</i> |
| S. Giovanni De Simone, M. J. Soares, W. De Souza and S. Goldenberg | 1091 | Identification and partial characterization of plasma membrane polypeptides of <i>Crithidia guilhermei</i> , <i>Crithidia deanei</i> and <i>Crithidia oncopelti</i> |
| Ch. Kohlsdorfer, H. Wratil and W. Kleinow | 1097 | Characterization of proteins from mitochondrial ribosomes of <i>Locusta migratoria</i> by three different two-dimensional gel electrophoretic methods and comparison with cytoplasmic ribosomal proteins |
| S. Hunt and T. N. Huckerby | 1107 | A comparative study of molluscan and crustacean chitin proteoglycans by carbon-13 NMR spectroscopy. Identification of carbohydrate and amino acid contributions and the determination of amino acid chemical shifts in anhydrous formic acid |
| M. S. Grisley and P. R. Boyle | 1117 | Bioassay and proteolytic activity of digestive enzymes from octopus saliva |
| Leiv Klungsøyr | 1125 | Magnesium ion activated ATPase and proton transport in vesicles from the gill of rainbow trout (<i>Salmo gairdnerii</i>) |
| Jesse F. Gregory III, Steven L. Ink and James J. Cerda | 1135 | Comparison of pteroylpolyglutamate hydrolase (folate conjugase) from porcine and human intestinal brush border membrane |
| M. Mora, J. C. Manzanero and J. Bozal | 1143 | Pigeon liver purine nucleoside phosphorylase characterization: kinetic behaviour and sulphhydryl groups |
| Lee-Shing Fang and Char-Chang Lai | 1151 | Characterization and purification of biliverdin reductase from the liver of eel, <i>Anguilla japonica</i> |
| P. Ibáñez, M. D. Garcerá, A. Gavara and R. Martínez | 1157 | Effect of JH and PII on the protein content of haemolymph and ovaries of <i>Spilostethus pandurus</i> |
| Ric R. Grummer, Connie A. Meacham, Walter L. Hurley and Carl L. Davis | 1163 | Apolipoprotein composition of bovine lipoproteins isolated by gel filtration chromatography |
| Androniki Beis and Rallio Xomali | 1175 | Changes in glycolytic and associated enzyme activities during <i>Rana ridibunda</i> oocyte development |
| P. N. Uzoegwu, H. Baum and J. Williamson | 1181 | The occurrence and localization in trypanosomes and other endo-parasites of an antigen cross-reacting with mitochondrial antibodies of primary biliary cirrhosis |
| J. L. Baert and M. C. Slomianny | 1191 | Heterosynthetic origin of the major yolk protein, vitellin, in a nereid, <i>Perinereis cultrifera</i> (Polychaete annelid) |
| M. V. Piretti, F. Taioli and G. Pagliuca | 1201 | Investigation of the seasonal variations of sterol and fatty acid constituents in the bivalve molluscs <i>Venus gallina</i> and <i>Scapharca inaequivalvis</i> (Bruguère) |
| T. V. Waehneldt, J.-M. Matthieu, J. Malotka and J. Joss | 1209 | A glycosylated proteolipid protein is common to CNS myelin of recent lungfish (Ceratodidae, Lepidosirenidae) |
| Alfonso Torre-Blanco and Ana M. Alvizouri | 1213 | <i>In vitro</i> hydroxylation of proline in the collagen of the cysticercus of <i>Taenia solium</i> |

